

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1635/162/07/21/1151

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: GYC CO., LTD.

60-21, SUNCHEON-RO, SEO-MYEON, SUNCHEON-SI, JEOLLANAM-

DO 57906

SOUTH KOREA

Description

PPE Type: protective glove against mechanical risks

Product reference: SM-263B

Article code:

Glove description: Black Nylon Liner Black Nitrile Flat palm coated

Available sizes: 56789101112

Pictures:





Date of first issue: 06 July 2021

Reference standard:

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material. « 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

EN 388:2016 + A1:2018

4131X

At the date of the certificate, the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from July 2021

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this

Issued in Lyon by **Didier GUISADO**

MARKIN

Certification and Quality Manager





In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective

Equipment and repealing the Directive 89/686/EEC

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél.: +33 (0)4 72 76 10 10 - Fax: +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

cofrac Accreditation n# 5-0594 Scope available on: www.cofrac.fr

GENERAL REQUIREMENTS

Standard EN ISO 21420: 2020

Dexterity: LEVEL 5

Available size 5 - 12

range:

A different hand sizing system from the one defined in EN ISO 21420 Annex B table B.1 is used:

Hand size	Hand circumference (mm)	Hand length (mm)
5	137	148
6	152	160
7	178	171
8	203	182
9	229	193
10	254	204
11	280	226
12	305	226

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm.

TEST REPORTS

Laboratory	CTC	Other
	S210403505_1, S190404934_1, S200706887_1, S190201185_1, S200706885_2	
EN 388	S181216611_1	

[«] X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer:

Logo (€

Glove's reference: SM-263B

Article Code: /

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer:

Date of Manufacture (month/year) and/or serial/batch number:

Date of obsolescence (month/year) if applicable:

Marking example:



Method of marking on the glove:

Heat Transfer Logo on back

Packaging suitable for transport:

12 Pairs Per Polybag, 144 Pairs Per Carton

PPE subject to ageing :

Peremption period : 5 Years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

According to ISO 9001

Our products are produced by full automatic lines, so the quality of the products is stably.

We have professional quality inspectors, those inspectors are full of experience about the products, they check the quality every one hour every day, so we can keep the quality always as usual.100% inspection of entering materials, 100% inspection of sewn gloves during ironing, 100% inspection of finished products during packing, then we send them to test EN388 on abrasion n CTC each year.

